

**A METHOD FOR REMOVING PIGMENTS FROM A PIGMENTED  
SECTION OF SKIN**

**Field of the Invention**

- 5 The present invention relates to the field of pigments removal. More particularly, the invention relates to a method for removing pigments from a pigmented section of skin, preferably a tattoo.

**Background of the Invention**

- 10 Tattoos are created by injecting ink into the skin. Today, in most cases, the injection of the ink is done by one or more needles which are attached to a device. Such a device will be called hereinafter a skin puncturing device. Preferably, but not limitatively, the skin puncturing device is a hand-held device. The skin puncturing device moves the needle along the longitudinal  
15 axis of the needle, similar to the movement of a needle in a sewing machine. Usually the skin puncturing device moves the needle at a rate of several vibrations per minute (e.g., the needles may puncture the skin at the rate of 50 to 3,000 times per minute). Prior to the penetration of the needle into the skin, the needle is dipped in a suitable solution which contains pigment  
20 (e.g., ink) and then this solution is sucked up through a suitable tube system of the skin puncturing device. Alternatively, the solution may be provided to the needle through a capsule suitable to be connected to the skin puncturing device. After obtaining the solution the skin puncturing device is used to

- 2 -

puncture the top layer of the skin and to drive insoluble, micrometer-sized particles of ink into the dermal layer of skin (i.e., dermis), preferably, about one millimeter deep. As a result, the ink is not located in the epidermis, but it intermingles with cells in the dermis. Since the cells of the dermis are relatively fixed the tattoo's ink remains at the dermis, thereby tattooing the skin.

For a variety of reasons, there are people who wish to remove a tattoo from their skin. However, because tattoos are intermingled with cells in the dermis, removing them is not an easy task. In the prior art, several methods for removing tattoos exist, which methods are usually invasive, some of them even requiring surgery, and may also be painful. Such known methods are:

- Dermabrasion, wherein skin is "sanded" (i.e., abraded) to remove the surface which contains the tattoo;
- Cryosurgery, wherein the area where the tattoo is located is frozen prior to its removal; and
- Excision, wherein the dermatologic surgeon removes the tattoo with a scalpel and closes the wound with stitches (In some cases involving large tattoos, a skin graft from another part of the body may be necessary).

- 3 -

However, such tattoo removal methods are painful, and may also create scars.

Other methods for tattoo removal use lasers. Lasers offer a bloodless  
5 alternative to the abovementioned methods and may also have fewer side  
effects. Each removal procedure is done or in a single or in a series of  
treatments. Patients may or may not require topical or local anesthesia.  
Lasers remove tattoos by producing short pulses of intense light that pass  
through the top layers of the skin, to be selectively absorbed by the tattoo  
10 pigment. This laser energy causes the tattoo pigment to fragment into  
smaller particles that are then removed by the body's immune system.  
However, there is still a possibility that using a laser may cause scarring.  
Furthermore, it is difficult to remove with the lasers pigments having colors  
such as yellow and green. Such colors selectively absorb laser light and can  
15 only be treated by selected lasers based on the pigment color. Moreover,  
there are side effects of laser procedures which may cause, for instance,  
hyperpigmentation, or an abundance of color in the skin at the treatment  
site, and hypopigmentation, where the treated area lacks normal skin color.

20 In addition, having a tattoo removed in each of the above methods is a long  
and expensive procedure.

- 4 -

All the methods described above have not yet provided satisfactory solutions to the problem of removing a pigmented section of skin in a simple way.

It is an object of the present invention to provide a method for removing a  
5 pigmented section of skin, which overcomes the drawbacks of the prior art.

It is another object of the present invention to provide a method for removing a pigmented section of skin which is relatively inexpensive.

10 Other objects and advantages of the invention will become apparent as the description proceeds.

### Summary of the Invention

The present invention relates to a method for removing pigments from a  
15 pigmented section of a skin, which comprises: a) providing a skin puncturing device which is provided with at least one needle; b) puncturing the skin at said pigmented section with said skin puncturing device, preferably – but not limitatively, while said skin puncturing device contains no ink and, optionally, injecting an aqueous material; c) providing a pad containing one  
20 or more materials capable of absorbing moisture from the mixture of said aqueous material with the pigments at said section, or absorbing moisture from the mixture of said pigments with the cellular fluids at said section; and d) bandaging said punctured skin with said pad, thereby causing the

- 5 -

pigments at said section to migrate from their location toward the outer layer of the skin.

The term "aqueous mixture of tattoo ink" or "pigments" indicates a mixture  
5 of small particles with water, which may or may not include some dissolved pigments. The terms "ink" and "pigment" are used herein interchangeably.

According to a preferred embodiment of the present invention, the method  
further comprises applying one or more antiseptic and/or antibiotic  
10 materials to the punctured skin. Preferably, the one or more antiseptic and/or antibiotic materials are applied to the punctured area of the skin by bandaging said area with a pad containing said materials. Alternatively, the antiseptic and/or antibiotic materials are applied directly onto the punctured area of the skin.

15

Preferably, the skin puncturing device is an electric tattooing device.

According to a preferred embodiment of the present invention, each needle  
can be solid or hollow.

20

Preferably, the skin puncturing device is further provided with suction means.

- 6 -

According to another preferred embodiment of the present invention, the method further comprises, prior to the bandaging of the punctured skin and during the puncturing of said skin, performing suction of the pigments from said punctured skin by means of the suction means.

5

Preferably, the injecting of the aqueous material to the skin is performed by dipping the needle(s) in said aqueous material prior to the puncturing of the skin. According to a preferred embodiment of the present invention, the aqueous material is selected from the group consisting of saline, water or  
10 other suitable aqueous solution or liquid.

The present invention further relates to an adsorbent pad suitable to absorb moisture from an aqueous mixture of tattoo ink or other pigments. Preferably, the adsorbent pad further comprises one or more antiseptic  
15 and/or antibiotic materials.

### **Brief Description of the Drawings**

The above and other characteristics and advantages of the invention will be better understood through the following illustrative and non-limitative  
20 detailed description of preferred embodiments thereof, with reference to the appended drawings, wherein:

- Fig. 1 schematically illustrates a skin puncturing device provided with suction means;

- 7 -

- Fig. 2A is a photograph showing a head of an eagle being tattooed on a human arm; and
- Figs. 2B and 2C are photographs showing the head of the eagle of Fig. 2A after part of it was removed by using the method of the present invention.

### **Detailed Description of Preferred Embodiments**

The present invention relates to a method for removing pigments from a pigmented section of a skin by puncturing the skin at the pigmented section and then bandaging the punctured section with a suitable adsorbing pad. The pad must contain one or more materials, such as saline, which are suitable to cause the pigments at the punctured section to migrate into the outer layer of the skin. Preferably, but not limitatively, the pad is an adsorbent pad suitable to absorb moisture from an aqueous mixture of tattoo ink. The aqueous mixture is generated at the punctured area either by cellular fluids or by the addition of an aqueous medium. Of course, the materials which is suitable to cause the pigments at the punctured section to migrate and be absorbed into the outer layer of the skin may be in the form of a solution, a solid material or a combination of both a solution and a solid material.

According to a preferred embodiment of the present invention, the pad is designed such that it enables the aqueous mixture containing the tattoo ink

- 8 -

to migrate into the outer layer of the punctured area of the skin. For example, the absorbent pad consists of a sterile, normal saline or salt-based granular paste, enclosed in a textile bag measuring 10 cm x10 cm.

- 5 The absorbent pad should be placed directly in contact with the surface of the punctured area, preferably - but not limitatively - covered with a suitable dressing such as a semi-permeable film. The aqueous mixture and cellular debris in the punctured area of skin are drawn into the pad. The pad should be removed before it is entirely saturated, when it is discolored
- 10 with secretions, or after a given period of time, such that the saline will not cause damage to the skin. For example, a 3 gram pad sized 10cm x 10cm provided with a 2.5 gram of saline should draw up about 5 grams of the aqueous mixture, within a period of less than 20 minutes.
- 15 Preferably, the absorbent material should be distributed equally within the pad or at least on one of its surfaces.

- Of course, the adsorbent pad may contain one or more antiseptic and/or antibiotic materials, such as a benzalkonium chloride-based cream (e.g.,
- 20 Bepanthen), a silver sulfadiazine-based cream (e.g., Silverol) etc., or such antiseptic materials may be applied separately. For example, the adsorbent pad or other separate pad may contain pastes and/or creams known in the



- 9 -

art, such as Vitamerfen, Bepanthen, Silverol and the like, or the antiseptic cream may be applied directly to the treated area and covered by a pad.

According to a preferred embodiment of the present invention, the skin can  
5 be punctured by a skin puncturing device which includes at least one needle,  
such as the one used for creating tattoos, while operating this device in the  
same way as is done while creating tattoos. As an option, an aqueous  
solution or other material that, preferably - but not limitatively - does not  
contain pigments, may be used instead of the ink (which is used when  
10 creating the tattoo), thereby allowing the pad containing one or more  
materials to absorb moisture from the mixture of the aqueous solution with  
the pigments that was generated at the punctured area. In cases when an  
aqueous solution is not used while puncturing the skin, the pad is capable of  
absorbing moisture only from the mixture of the pigments (e.g., tattoo ink)  
15 with the cellular fluids liberated at the punctured section. Preferably, but  
not limitatively, the aqueous solution is injected into the punctured area.  
For example, the injecting of the aqueous solution into the skin is performed  
by dipping the needle(s) of the skin puncturing device in the aqueous  
solution prior to the puncturing of the skin. The aqueous solution or  
20 material can be saline, water or other suitable aqueous solution or liquid.

In typical puncturing devices, the penetrating depth of the needle to the  
skin is adjustable. Preferably, but not limitatively, the needle does not

- 10 -

penetrate beyond the hypodermis layer of the skin and thus no further damage to the skin is done while using the method of the present invention. Each needle of the skin puncturing device can be solid or hollow.

5 According to a preferred embodiment of the present invention, the skin puncturing device is further provided with suction means for performing a suction of the skin pigments during the puncturing activity of the skin. Fig. 1 schematically illustrates a skin puncturing device 10 provided with such suction means. The skin puncturing device 10 comprises suction means 12  
10 coupled to needle 11 via the tube system (not shown) of the skin puncturing device 10.

According to a preferred embodiment of the present invention, the method involves "encouraging infection", which may aid the pigments to migrate to  
15 the outer layer of the skin. This can be treated by applying antibiotic material(s) to the punctured area of the skin, preferably, after removing the absorbent pad, and until most of the pigments are removed from that area of the skin. This activity can take from several hours to several days.

20 Fig. 2A is a photograph showing a head of an eagle tattooed on an arm. Figs. 2B and 2C are photographs showing the head of the eagle of Fig. 2A after part of it (i.e., the tattooed feathers at the neck of the eagle) was removed by using the method of the present invention.

- 11 -

The above examples and description have of course been provided only for the purpose of illustration, and are not intended to limit the invention in any way. As will be appreciated by the skilled person, the invention can be carried out in a great variety of ways, employing more than one technique  
5 from those described above, all without exceeding the scope of the invention.